

RESOLUTION NO. 77-2011  
INTRODUCED BY : Alexander

A RESOLUTION AUTHORIZING THE MAYOR TO ENTER INTO A PURCHASE AGREEMENT THROUGH THE OHIO DEPARTMENT OF ADMINISTRATIVE SERVICES COOPERATIVE PURCHASING PROGRAM FOR SNOW PLOW AND DUMP TRUCK BODY EQUIPMENT FOR THE DEPARTMENT OF PUBLIC SERVICE.

WHEREAS, Council has authorized cooperative purchasing through the competitive bids obtained by the State of Ohio Department of Administrative Services Cooperative Purchasing Program; and

WHEREAS, the Director of Public Service has advised this Council that the City is in need of snow plow and dump truck body equipment to be installed on an existing truck chassis for snowplowing purposes and general use, the purchase of which can be made through the State of Ohio's Cooperative Purchasing Program; and

WHEREAS, Council's Finance Committee has reviewed the need for this proposed purchase and recommends the same and this Council desires to authorize the procurement of this equipment through the State Cooperative Purchasing Program from Concord Road Equipment Manufacturing, Inc.

NOW, THEREFORE, BE IT RESOLVED by the Council of the City of Richmond Heights, State of Ohio, that:

Section 1: The Mayor is authorized to enter into a purchase agreement for certain snow plow and dump truck body equipment as set forth in the "Quote" attached hereto as "Exhibit A" from Concord Road Equipment Manufacturing, Inc. at a cost of \$27,929.97 under Schedule Contract No. 800116, as part of the State of Ohio's Cooperative Purchasing Program.

Section 2: The Finance Director is authorized and directed to appropriate to a proper account a sum sufficient to cover the costs of the purchase set forth in Section 1 above.

Section 3: It is found and determined that all formal actions of this Council concerning and relating to the adoption of this Resolution were adopted in an open meeting of this Council, and that all deliberations of this Council and any of its committees that resulted in such formal action, were in meetings open to the public, in compliance with all legal requirements, including Section 121.22 of the Ohio Revised Code.

Section 4: This Resolution shall take effect and be in force from and after the earliest period allowed by law.

PASSED: \_\_\_\_\_

\_\_\_\_\_  
Daniel J. Ursu, Mayor

APPROVED: \_\_\_\_\_

ATTEST: \_\_\_\_\_

Betsy Traben  
Clerk of Council

\_\_\_\_\_  
David H. Roche  
President of Council

## EXHIBIT A



# CONCORD

Road Equipment Mfg., Inc.  
348 Chester Street  
Painesville, OH 44077

Phone: (440) 357-5344 Fax: (440) 357-1942

Quote 52328

Quote Valid for 30 Days

Terms: NET 20

Page 1 of 2

Submitted To:  
RICHMOND HTS, CITY OF  
28789 HIGHLAND ROAD  
RICHMOND HTS, OH 44143

Date: 11/21/2011  
End User:  
Attention: DON LAZAR  
Delivery: APPROX 90 TO 120 DAYS ARO  
County: CUYAHOGA

Phone: (216) 486-2474 Fax: (216) 383-6320

STATE OF OHIO STATE TERM SCHEDULE CONTRACT; SCHEDULE NUMBER: 800116; INDEX NUMBER: STS515  
TRUCK EQUIPMENT PACKAGE TO BE INSTALLED ON CUSTOMER SUPPLIED SINGLE AXLE CLASS 8 CAB AND CHASSIS

### EQUIPMENT TO INCLUDE:

- DUMP BODY: 10 FOOT LONG, 6.5 TO 7.8 CUBIC YARD CAPACITY, STEEL DUMP BODY WITH 30 INCH HIGH 10 GAUGE A1011 STEEL SIDES WITH FULLY BOXED TOP RAIL, DIRT SHEDDING LOWER RUB RAIL FULL LENGTH INTEGRAL PRESSED HORIZONTAL BRACE, AND FULL DEPTH FRONT AND REAR CORNER POSTS; 10 GAUGE A1011 STEEL BULKHEAD WITH 1 INTERMEDIATE HORIZONTAL BRACE AND FORMED IN TOP RAIL; 24 INCH 10 GAUGE A1011 STEEL CAB SHIELD FULLY WELDED TO FRONT BODY BULKHEAD; 36 INCH HIGH 10 GAUGE A1011 STEEL TAILGATE WITH FULLY BOXED PERIMETER, DIRT SHEDDING HORIZONTAL BRACE, TWO VERTICAL BRACES, HEAVY DUTY 1 INCH THICK OFFSET UPPER HARDWARE, AND HEAVY DUTY 1 INCH THICK LOWER HARDWARE WITH MANUAL RELEASE MECHANISM; 7 GAUGE A1011 HIGH STRENGTH STEEL FLOOR WITH FULL LENGTH FLOOR TO SIDE RADIUS; INTERLOCKING UNDERSTRUCTURE WITH STRUCTURAL CHANNEL CROSSMEMBERS ON 12 INCH CENTERS AND FORMED CHANNEL LONGITUDINALS; NTEA CLASS 60 HEAVY DUTY DOUBLE ACTING UNDERBODY ROLLER COMBO SCISSOR STYLE HOIST WITH 8 INCH BORE, 23.625 INCH STROKE CYLINDER, RATED AT 20.8 TON DUMPING CAPACITY IN THIS CONFIGURATION; BODY PRIMER AND PAINTED ONE COLOR TO MATCH EXISTING FLEET; UNDERSTRUCTURE AND FRAME MOUNTED COMPONENTS PRIMER AND PAINTED BLACK

- BODY AND CHASSIS ACCESSORIES: BODY MOUNTED THREE STEP RIDGED MOUNTED LADDER WITH ONE ADDITIONAL SIDE MOUNTED STEP AND REQUIRED GRAB HANDLES; RUBBER MUD FLAPS BEHIND REAR WHEELS; V-BODY TIE DOWN BRACKETS; ETC

- CENTRAL HYDRAULIC SYSTEM: TRANSMISSION MOUNTED HOT SHIFT POWER TAKE OFF; 3.66 CUBIC INCH DISPLACEMENT REKROTH LOAD SENSING AXIAL PISTON PUMP DIRECT MOUNTED TO POWER TAKE OFF THREE SECTION M4-12 LOAD SENSING CONTROL VALVE WITH POWER BEYOND AND THREE AIR ACTUATED SECTIONS TO OPERATE DOUBLE ACTING DUMP BODY HOIST, DOUBLE ACTING FLOW LIFT, AND DOUBLE ACTING FLOW POWER ANGLE FUNCTIONS INSTALLED IN A STEEL COMBINATION VALVE ENCLOSURE AND 35 GALLON HYDRAULIC OIL RESERVOIR; IN CAB DUAL KNOB MANUAL SPREADER VALVE TO OPERATE SINGLE ACTING SPREADER SPINNER AND CONVEYOR FUNCTIONS; IN CAB AIR LEVER CONTROLLERS FOR HOIST AND FLOW FUNCTIONS; LOW OIL SHUT DOWN SYSTEM WITH OIL LEVEL SENSOR, IN CAB INDICATOR LAMP AND WARNING BUZZER, WITH MOMENTARY OVERRIDE SWITCH; ALL REQUIRED HYDRAULIC HOSES, FITTINGS, STAINLESS STEEL QUICK COUPLERS, OIL, ETC. TO MAKE A COMPLETE AND FUNCTIONAL FULLY TESTED SYSTEM

- ELECTRICAL SYSTEM: IN CAB POWER DISTRIBUTION PANEL FOR ALL BODY RELATED ELECTRICAL CIRCUITRY; BODY UP INDICATOR SYSTEM WITH SEALED MICRO SWITCH TRIGGER AND OPERATOR WARNING LIGHT; AMBER LED BEACON INSTALLED ON CHASSIS CAB ROOF, LED AMBER LED WARNING, RED LED STOP-TAIL-TURN, AND CLEAR LED BACKUP LIGHTS MOUNTED IN DUMP BODY CUTOUTS IN REAR CORNER POSTS; 97 DBA REVERSE ALARM; SNOW PLOW LIGHTS WITH COMPOSITE BULBS AND INTEGRATED MARKER AND TURN LIGHTS HOOD MOUNTED ON STAINLESS STEEL BRACKETS; REAR MOUNTED HALOGEN SPREADER WORK LIGHT; AMBER LED CAB PROTECTOR MOUNTED CLEARANCE LIGHTS; ALL RVSS REQUIRED LED LIGHTING; ALL REQUIRED WIRING, HARNESSSES, CONNECTORS, ETC. TO MAKE A COMPLETE AND FUNCTIONAL SYSTEM

- FLOW HITCH: INSTALL CUSTOMER SUPPLIED 29 INCH TRUCK SIDE HUSTING HITCH, PROVIDE AND INSTALL STRUCTURAL FUSE ARM MOUNTING, AND FLOW DOUBLE ACTING LIFT CYLINDER, MODIFY AND REINSTALL CHASSIS OEM BUMPER

TOTAL LIST PRICE INSTALLED PER UNIT:	\$ 32,858.79
LESS 15% STS CONTRACT DISCOUNT OF:	\$ ( 4,928.82)
TOTAL NET PRICE INSTALLED PER UNIT:	\$ 27,929.97

\* CHASSIS SHALL HAVE A USABLE CAB TO AXLE DIMENSION OF APPROXIMATELY 87" TO ALLOW FOR EQUIPMENT INSTALLATION

\* WARRANTY: CONCORD MINUTEMAN EQUIPMENT PACKAGES INCLUDE A 100% PARTS AND LABOR WARRANTY FOR A PERIOD OF ONE (1) YEAR AFTER COMPLETION / DELIVERY ON ALL EQUIPMENT, COMPONENTS, AND ACCESSORIES; DUMP BODY AND HOIST INCLUDE A FIVE (5) YEAR MANUFACTURER WARRANTY, SEE ATTACHED DOCUMENTATION; HYDRAULIC HOSE ASSEMBLIES CARRY A THREE (3) YEARS PARTS ONLY WARRANTY; WARRANTIES DO NOT INCLUDE NORMALLY CONSIDERED WEAR AND MAINTENANCE ITEMS, ROUTINE ADJUSTMENTS, ABUSE AND/OR NEGLIGENCE, MIS-USE, IMPROPER OPERATION, LACK OF MAINTENANCE AND/OR TRAINING, AND CONSEQUENTIAL DAMAGES AS A RESULT THEREOF.

\* DELIVERY: APPROX 90 TO 120 DAYS AFTER RECEIPT OF CHASSIS, RECEIPT OF ORDER, AND AUTHORIZATION TO PROCEED IS AN ESTIMATED DELIVERY, AND MAY BE LONGER OR SHORTER BASED ON ACTUAL ARRIVAL DATE OF CHASSIS, CURRENT ORDER BACKLOGS, AND LEAD-TIMES FROM COMPONENT SUPPLIERS. CONCORD IS NOT RESPONSIBLE FOR DELAYS THAT ARE BEYOND THE CAPABILITY OF REASONABLE EFFORTS TO CONTROL: STRIKES, DELAYS IN FREIGHT, ACTS OF GOD, ETC.

QUOTE CONTINUED ON NEXT PAGE



# CONCORD

Road Equipment Mfg., Inc.

348 Chester Street

Painesville, OH 44077

Phone: (440) 357-5344 Fax: (440) 357-1942

Quote 52328

Quote Valid for 30 Days

Terms: NET 20

Page 2 of 2

Submitted To:

RICHMOND HTS. CITY OF

26789 HIGHLAND ROAD

RICHMOND HTS, OH 44143

Date: 11/21/2011

End User:

Attention: DON LAZAR

Delivery: APPROX 90 TO 120 DAYS ARO

County: CUYAHOGA

Phone: (216) 486-2474

Fax: (216) 383-6320

QUOTE CONTINUED FROM PREVIOUS PAGE

Authorized by

RICH EASTERBROOK

All material is guaranteed to be as specified. All work to be completed in a workmanlike manner according to standard practices. Any alteration or deviation from the above specifications involving extra costs will be executed only upon written orders and will become an extra charge over and above the estimate. All agreements are contingent upon strikes, accidents, or delays beyond our control. Owner is to carry fire, tornado and other necessary insurance. Our workers are fully covered by Worker's Compensation.